

Coswick Inspire

COSWICK LTD.

28 Kolasa Str
223 034 Zaslaw
Republic of Belarus
Tel: +375-17-543-2012
Fax: +375-17-543-2020
E-mail: sales@coswick.com

www.coswick.com

Coswick

**SUPERB STABILITY
DESIGN SOLUTIONS
ECO-FRIENDLY**

Superb Stability



Construction

BALANCED SYMMETRICAL CONSTRUCTION

Base and middle core of Coswick 3-layer flooring is made of Birch. Birch hardness is close to that of top layer made of Oak, Ash or American Walnut. Base layer thickness is extended to 3 mm providing perfect symmetry and balance and eliminating any chance of cupping and warping in case of temperature or humidity fluctuations.

CORK COMPENSATOR

Cork compensators are inserted into the middle core every 15 cm. In the event of moisture effect - cork compensators reduce stress in middle core and improve stability and structural integrity of the hardwood flooring plank.

LONGLASTING PU HOT MELT BONDING GLUE

Innovative polyurethane hot-melt adhesive is used by Coswick to bond all 3-layers of engineered flooring planks. Extra strong, water-resistant and highly elastic - the glue excludes delamination of flooring planks even in the event of flooding! Polyurethane bonding does not age, so, the glue joint performance lasts during all the flooring life time. 100% Eco-Friendly - the glue does not contain added formaldehyde or any other hazardous substances at all.

HIGH PERFORMANCE CosLoc 5G


Innovative Valinge 5G click locking system CosLoc is used to create Coswick 3-layer floating floors. Middle core made of Birch and the use of Cork Compensators leaving no gaps ensure no splits and chips on the click surface providing very tight and reliable connection even in case of floating installation, as well as eliminating unwanted plank movement and squeaking during exploitation. Coswick 3-layer all hardwood construction is hard enough to withstand any deformation of the click during installation and further exploitation.

Design Solutions

OVER 120 UNIQUE COLORS IN 5 PROTECTIVE FINISHES

EXTENDED MOSAIC LINE: CHEVRON, HERRINGBONE, MOSAIC TILES AND PARQUETRY FLOORING

PERFECT SOLUTIONS FOR HIGH-END PUBLIC SPACES IN ANY CLIMATE ZONE



Eco - Friendly

All Coswick products are manufactured from natural wood, as well as only carefully selected high quality materials with strict requirements for ecological safety are used in company production process.

Finished Coswick products are regularly tested for formaldehyde content. According to European standard EN14342 formaldehyde emission of Coswick flooring corresponds to the safest class E1. What is more, the whole range of Coswick products either has No Added Urea Formaldehyde at all (NAUF) or meets ULEF requirements, as per American CARB ASTM standard. It means that the level of emissions of Volatile Substances of Coswick flooring is equal to that of natural wood.

DECLARATION ECO

At Coswick we strongly believe that Ecological Safety of hardwood flooring is just as important as its visual characteristics, durability and ease of maintenance.

Coswick hardwood floors are regularly tested for VOC emissions to ensure full compliance with highest environmental and ecological standards EN14342 (Class E1) and CARB ASTM (NAUF, ULEF).

FSC certification is applied to all Coswick product lines, so, all the wood products manufactured by Coswick originate from raw timber harvested by forestries committed to environmentally and socially responsible logging.

Coswick Team work closely with local organizations, institutions and forestries with the aim to protect and maintain environment and forest reserves. We are proud to say that all timber used for flooring production is harvested using clean felling procedures and environmentally responsible practices that do not lead to reduction in oak and ash wood.

Operating a fully integrated manufacturing cycle - 100% of manufacturing waste (sawdust or wood chips) is recycled, burned in boilers for heating kiln dryers or pressed into wood briquettes widely used as fuel for home heating.

Completely Integrated

Factory

COSWICK IS A CANADIAN OWNED FLOORING COMPANY

Coswick is a Canadian owned flooring manufacturer with production facilities located in Zaslaw, Belarus. Our manufacturing process is completely integrated - starting with raw timber processing all the way to the end product. Coswick product lines include factory-prefinished ready-to-install hardwood flooring, wall panels, sports floors, decking & siding, as well as accessories. Company unique production process allows our Team to control quality at every stage of manufacture. Sawmills, Kiln dryers and UV finishing lines - all the machinery used by Coswick is state-of-the-art; operation - top talent available in the industry - altogether ensures the highest and utmost product quality.

1,000,000 sq. m.

Coswick Team numbers 600 people. Company's manufacturing capacity is over 1,000,000 sq. m. per year and about 90% of all the products are exported globally. Coswick dealer network spans over 45 countries, including Canada, USA, European Union, the Persian Gulf region, Russia, China, Australia etc.

COSWICK PRODUCTION PROGRAM

Coswick manufacturing program includes highly stable 3-layer single strip T&G and click flooring, solid hardwood floors, as well as chevron, herringbone, uniblock, parquet and mosaic flooring. Product selection also includes sports floors, decorative wall & ceiling panels, acoustic panelling systems, decking & siding, as well as a complete line of care & maintenance products, coatings for on-site finishing and adhesives for flooring installation.

Coswick Hardwood Floors:

PLANK FLOORING

Classic Collection.....	16
Brushed & Oiled Collection.....	18
Country Collection.....	20
Signature Collection.....	22
Heritage Collection.....	24
Arts & Crafts Collection.....	26

MOSAIC FLOORING

Chevron Collection	30
Chevron Collection CosLoc.....	32
Herringbone Collection.....	34
Mosaic Flooring.....	36
Mosaic-mini Flooring.....	40
Parquetry Flooring.....	42
Uniblock Flooring Collection.....	42

SPORTS FLOORING


Tournament Pro Sport.....	47
Tournament Sport.....	47
Tournament Euro Sport.....	47
Matrix Sport.....	47
Fitness Board.....	47
Portable Mosaic Dance.....	47

WOOD WALL PANELS

Acoustic Wall Panels.....	50
Decorative Wall Panels.....	52

TECHNICAL INFORMATION

Technologies.....	56
Finishing Systems.....	58
Grades.....	60
Technical Information.....	62
Moldings.....	67
Floor Care Products.....	68



Plank Hardwood Flooring

- | Classic Collection
- | Brushed & Oiled Collection
- | Country Collection
- | Signature Collection
- | Heritage Collection
- | Arts & Crafts Collection





CLASSIC COLLECTION

FINISH :


-  Lacquer
-  Silk Oil

GRADE :

- S&B** Select & Better
- 1N** 1 Natur
- Trad** Traditional

CONSTRUCTION :

3-layer T&G engineered flooring



3-layer single strip flooring CosLoc SG



1.1 | VANILLA | OAK

 **S&B**



1.2 | NATURAL | OAK

 **S&B**



1.3 | ROSE | OAK

 **S&B**



1.4 | CHESTNUT | OAK

 **S&B**



1.5 | WALNUT | OAK

 **S&B**



1.6 | CHARCOAL | OAK

 **S&B**



1.7 | MOONLIGHT | ASH

 **S&B**



1.8 | AVALANCHE | ASH

  **S&B**



1.9 | CARAMEL | ASH

 **S&B**



1.10 | NATURAL | A. WALNUT

  **S&B**




1.11 | NATURAL | A. WALNUT

  **Trad**



1.12 | CLASSIC | A. WALNUT

  **1N**



BRUSHED & OILED COLLECTION

FINISH :

- 🔥 Silk Oil
- 🔥 Silk Oil ultra matte

GRADE :

- S&B Select & Better
- 1N 1 Common
- Tav Tavern

CONSTRUCTION :

3-layer T&G engineered flooring



3-layer single strip flooring CosLoc SG



2.1 | WHITE FROST | OAK



S&B



2.2 | VANILLA | OAK



S&B



2.3 | CHABAUD | OAK



S&B



2.4 | NATURAL | OAK



S&B



2.5 | CHESTNUT | OAK



S&B



2.6 | WALNUT | OAK



S&B



2.7 | CLOUDY | ASH



1C



2.8 | ATLANTIC | ASH



1C



2.9 | NORMAN BREEZE | ASH




Tav



2.10 | FRENCH RIVIERA | ASH



1C



2.11 | CANADIAN CEDAR | ASH



1C



2.12 | MOCCA | ASH



1C

COUNTRY COLLECTION

FINISH :

- 🔥 Silk Oil
- 🔥 Silk Oil ultra matte

GRADE :

- 1C 1 Common
- Tav Tavern
- 1N 1 Natur
- Char Character

CONSTRUCTION :

Solid hardwood flooring



3-layer T&G engineered flooring



3-layer single strip flooring CosLoc SG



3.1 | NATURAL | OAK

🔥 1C 1N



3.2 | FRENCH ESTATE | OAK

🔥 Tav Char



3.3 | CHESTNUT | OAK

🔥 1C 1N



3.4 | AMBER | OAK

🔥 Tav Char



3.5 | MILK CHOCOLATE | OAK

🔥 1C 1N



3.6 | WALNUT | OAK

🔥 1C 1N



3.7 | ALPINE | OAK

🔥 Tav Char



3.8 | SNOWDROP | OAK

🔥 Tav Char



3.9 | GREYASH | OAK

🔥 1N



3.10 | ROCKY REEF | OAK

🔥 Tav Char




3.11 | CHAMBORD | OAK

🔥 1C 1N



3.12 | DARK CHOCOLATE | OAK

🔥 Tav Char



SIGNATURE COLLECTION

FINISH :

🔹 Lacquer matte

GRADE :

S&B Select & Better

CONSTRUCTION :

3-layer T&G engineered flooring



3-layer single strip flooring CosLoc SG



4.1 | ALBATROSS | OAK 🔹 S&B



4.2 | CHAMBORD | OAK 🔹 S&B



4.3 | NORD SEA | OAK 🔹 S&B



4.4 | SANDY | OAK 🔹 S&B



4.5 | STONEY CREEK | OAK 🔹 S&B



4.6 | CHARCOAL | OAK 🔹 S&B



4.7 | PEARL GREY | ASH 🔹 S&B



4.8 | MOONLIGHT | ASH 🔹 S&B



4.9 | SILVERY | ASH 🔹 S&B



4.10 | TIGER EYE | ASH 🔹 S&B



4.11 | COMO | ASH 🔹 S&B



4.12 | CAPPUCCINO | ASH 🔹 S&B



HERITAGE COLLECTION

FINISH :

- 🔥 Silk Oil
- 🔥 Silk Oil ultra matte
- 🌿 Hardwax Oil

GRADE :

- S&B Select & Better
- 1C 1 Common
- Tav Tavern
- Char Character

CONSTRUCTION :


Solid hardwood flooring




3-layer T&G engineered flooring



3-layer single strip flooring CosLoc SG



S.1 | WHITE MARBLE | OAK 🔥 Tav Char



S.2 | ANTIQUE PATINA | OAK 🔥 Tav Char



S.3 | INDIGO | OAK 🔥 Tav Char



S.4 | GREY CASHMERE | OAK 🔥 Tav Char



S.5 | PASTEL | OAK 🔥 1C 1N



S.6 | FRENCH GOBELIN | OAK 🔥 Tav Char



S.7 | GRAPE SEED | OAK 🔥 Tav Char



S.8 | VINTAGE BROWN | OAK 🔥 Tav Char



S.9 | TERRA | OAK 🔥 Tav Char




S.10 | NATURAL | THERMO ASH 🌿 S&B



S.11 | EVEREST | THERMO ASH 🌿 S&B



S.12 | BROWN MALT | THERMO ASH 🌿 1C



ARTS & CRAFTS COLLECTION

FINISH :

- 🔸 Silk Oil ultra matte
- 🔹 Hardwax Oil

GRADE :

Char Character

CONSTRUCTION :

3-layer T&G engineered flooring



3-layer single strip flooring CosLoc SG



6.1 | BATISTE | OAK 🔸 🔹 Char



6.2 | VIENNA | OAK 🔸 🔹 Char



6.3 | GENEVA | OAK 🔸 🔹 Char



6.4 | SCANDINAVIAN | OAK 🔸 🔹 Char



6.5 | OLD VENICE | OAK 🔸 🔹 Char



6.6 | LONDON | OAK 🔸 🔹 Char



6.7 | BARCELONA | OAK 🔸 🔹 Char



6.8 | STONEHENGE | OAK 🔸 🔹 Char



6.9 | ALBION | OAK 🔸 🔹 Char



6.10 | HEATHER | OAK 🔸 🔹 Char





6.11 | MISTY FJORDS | OAK 🔸 🔹 Char



6.12 | MARSEILLE | OAK 🔸 🔹 Char

- | Chevron Collection
- | Chevron Collection CosLoc
- | Herringbone Collection
- | Mosaic Flooring
- | Mosaic-mini Flooring
- | Parquetry Flooring
- | Uniblock Flooring Collection





CHEVRON COLLECTION T&G

FINISH :

-  Lacquer
-  Silk Oil
-  Silk Oil ultra matte

GRADE :


- S&B** Select & Better
- 1C** 1 Common
- Tav** Tavern
- Trad** Traditional

CONSTRUCTION :

Solid hardwood flooring



3-layer T&G engineered flooring



7.1 | ALPINE | OAK



Tav



7.2 | MOONLIGHT | ASH



S&B



7.3 | NORMAN BREEZE | ASH



Tav



7.4 | VANILLA | OAK



S&B



7.5 | PEARL GREY | ASH



S&B



7.6 | CHAMBORD | OAK



1C



7.7 | PASTEL | OAK



S&B 1C



7.8 | ROCKY REEF | OAK



Tav



7.9 | FRENCH RIVIERA | ASH



1C



7.10 | NATURAL | OAK



S&B



7.11 | MILK CHOCOLATE | OAK



1C



7.12 | CHARCOAL | OAK



Tav



7.13 | NATURAL | A. WALNUT



S&B



7.14 | NATURAL | A. WALNUT



Trad



CHEVRON COLLECTION CosLoc

FINISH :

- 🔵 Lacquer
- 🟡 Silk Oil
- 🟡 Silk Oil ultra matte

GRADE :

- S&B** Select & Better
- 1C** 1 Common
- Tav** Tavern
- Trad** Traditional

CONSTRUCTION :

3-layer single strip flooring CosLoc 5G



8.1 | ALPINE | OAK

🟡 Tav



8.2 | VANILLA | OAK

🟡 S&B



8.3 | PASTEL | OAK

🟡 1C



8.4 | MILK CHOCOLATE | OAK

🟡 1C




8.5 | NATURAL | A. WALNUT

🔵 S&B



8.6 | NATURAL | A. WALNUT

🔵 Trad



HERRINGBONE COLLECTION

FINISH :


-  Lacquer
-  Silk Oil
-  Silk Oil ultra matte

GRADE :

- S&B** Select & Better
- 1C** 1 Common
- Tav** Tavern
- Trad** Traditional

CONSTRUCTION :

Solid hardwood flooring



3-layer T&G engineered flooring



9.1 | ALPINE | OAK

 Tav



9.2 | WHITE FROST | OAK

 S&B



9.3 | MOONLIGHT | ASH

 S&B



9.4 | VANILLA | OAK

 S&B



9.5 | PEARL GREY | ASH

 S&B



9.6 | GREY CASHMERE | OAK

 Tav



9.7 | NORMAN BREEZE | ASH

 Tav



9.8 | CHAMBORD | OAK

 1C



9.9 | FRENCH RIVIERA | ASH

 1C



9.10 | PASTEL | OAK

 S&B



9.11 | ROCKY REEF | OAK

 Tav



9.12 | CHARCOAL | OAK

 Tav



9.13 | CHESTNUT | OAK

 S&B



9.14 | NATURAL | A. WALNUT

 S&B



9.15 | MILK CHOCOLATE | OAK

 1C

MOSAIC FLOORING

FINISH :

-  Resilient Lacquer
-  Hardwax Oil combi


GRADE :

- S&B** Select & Better
- 1N** 1 Natur
- Trad** Traditional


CONSTRUCTION :

2-layer T&G engineered flooring

VERSAILLES



TRIANON



10.1 | NATURAL | OAK  **S&B**



10.2 | MARSEILLE | OAK  **S&B**



10.3 | OLD VENICE | OAK  **S&B**



10.4 | NATURAL | A. WALNUT  **S&B**



10.5 | NATURAL | A. WALNUT  **Trad**



10.6 | CLASSIC | A. WALNUT  **1N**



11.1 | NATURAL | OAK  **S&B**



11.2 | MARSEILLE | OAK  **S&B**



11.3 | OLD VENICE | OAK  **S&B**



11.4 | NATURAL | A. WALNUT  **S&B**



11.5 | NATURAL | A. WALNUT  **Trad**



11.6 | CLASSIC | A. WALNUT  **1N**

MOSAIC FLOORING

FINISH :

-  Resilient Lacquer
-  Hardwax Oil combi


GRADE :

- S&B** Select & Better
- 1N** 1 Natur
- Trad** Traditional


CONSTRUCTION :

2-layer T&G engineered flooring

LANGAIS



CHEVERNY



12.1 | NATURAL | OAK  **S&B**



12.2 | NATURAL | OAK & A. WALNUT  **S&B**



12.3 | OLD VENICE | OAK  **S&B**



12.4 | NATURAL | A. WALNUT  **S&B**



12.5 | NATURAL | A. WALNUT  **Trad**



12.6 | CLASSIC | A. WALNUT  **1N**



13.1 | NATURAL | A. WALNUT  **S&B**



13.2 | NATURAL | OAK & A. WALNUT  **S&B**



13.3 | OLD VENICE | OAK  **S&B**




13.4 | NATURAL | A. WALNUT  **S&B**



13.5 | NATURAL | A. WALNUT  **Trad**



13.6 | CLASSIC | A. WALNUT  **1N**



MOSAIC-MINI FLOORING

FINISH :

 Resilient Lacquer


GRADE :

S&B Select & Better


CONSTRUCTION :

2-layer T&G engineered flooring


CHATEAU




BLOIS



PROVENCE



TOWER



14.1 | NATURAL | OAK

 **S&B**



14.2 | NATURAL | ASH

 **S&B**



14.3 | NATURAL | A. WALNUT

 **S&B**



15.1 | NATURAL | OAK

 **S&B**



15.2 | NATURAL | ASH

 **S&B**



15.3 | NATURAL | A. WALNUT

 **S&B**



16.1 | NATURAL | OAK

 **S&B**



16.2 | NATURAL | ASH

 **S&B**



16.3 | NATURAL | A. WALNUT

 **S&B**



17.1 | NATURAL | OAK

 **S&B**




17.2 | NATURAL | ASH

 **S&B**



17.3 | NATURAL | A. WALNUT

 **S&B**



FINISH :

-  Lacquer
-  Silk Oil

GRADE :

- S&B** Select & Better
- Tav** Tavern
- Trad** Traditional

CONSTRUCTION :

3-layer engineered flooring

TILE



PYRAMID



Solid hardwood flooring



PARQUETRY :



16.1 | WHITE FROST | OAK

 **S&B**



16.2 | GREY CASHMERE | OAK

 **Tav**



16.3 | PASTEL | OAK

 **S&B**



16.4 | CHAMBORD | OAK

 **Tav**



16.5 | MILK CHOCOLATE | OAK

 **Tav**



16.6 | NATURAL | A. WALNUT

 **S&B Trad**

UNIBLOCK :



17.1 | NATURAL | OAK

 **S&B**



17.2 | ROSE | OAK

 **S&B**



17.3 | CHESTNUT | OAK

 **S&B**



17.4 | MILK CHOCOLATE | OAK

 **1C**

- | Tournament Pro Sport
- | Tournament Sport
- | Tournament Euro Sport
- | Matrix Sport
- | Fitness Board
- | Portable Mosaic Dance

"A big part of my life is spent on sports hardwood floors and I know it too well how important performance of sports flooring for professional athletes."

Anastasiya Verameyenka,
a famous Belarusian basketball player

SPORTS AND EVENTS FLOORING

Coswick line of sports hardwood floors provides excellent flooring solutions for a wide range of public and sports interiors, including:

Indoor sports courts used for training and competitions of all types, including international tournaments and team sports such as basketball, volleyball, handball, squash etc.

All types of gyms and interiors used for fitness and physical activity, including training in team sports.

Fitness centers, yoga and aerobics studios, dance halls and choreographic studios.

Temporary floor covering solutions for holding sport dance competitions, exhibits, presentations and other public events.

Coswick sports flooring is designed in full compliance with the norms and standards of sports flooring manufacturing (European Standard EN14904, German DIN 18032-2, American ASTM F2772) and ensures safety, comfort and effectiveness during training and sports competitions of all types.



TOURNAMENT PRO SPORT



TOURNAMENT SPORT



MATRIX SPORT



TOURNAMENT EURO SPORT



FITNESS BOARD



PORTABLE MOSAIC DANCE

FEATURES OF COSWICK SPORTS FLOORING

TECHNICAL CHARACTERISTIC	Sports Flooring Construction Type					
	TOURNAMENT PRO SPORT	TOURNAMENT SPORT	TOURNAMENT EURO SPORT	MATRIX SPORT	FITNESS BOARD	PORTABLE MOSAIC DANCE
Type of floor	Area-Elastic A4 (EN14904)	Area-Elastic A4 (EN14904)	Area-Elastic A4 (EN14904)	Area-Elastic A4 (EN14904)	Area-Elastic A4 (EN14904)	Area-Elastic A3 (EN14904)
Construction height, mm	71	53	55	43	28	30
Species	Oak, Ash, Hard Maple	Oak, Ash, Hard Maple	Oak, Ash	Oak, Ash	Oak, Ash	Oak
Hardwood flooring dimensions, mm	57,15x300...1845 82,55x300...1845	57,15x300...1845 82,55x300...1845	107,95x300...1845	107,95x300...1845 127x300...1845	107,95x300...1845	570x570
Hardwood flooring thickness, mm	19,05	19,05	16	16	12,7	19,05
Color / Finish	Natural / Resilient Sport Lacquer	Natural / Resilient Sport Lacquer	Natural / Resilient Sport Lacquer	Natural / Resilient Sport Lacquer	Natural / Silk Oil	Natural / Silk Oil
Shock absorption, %	66 EN 14808 (A4 ≥55% <75%)	64 EN 14808 (A4 ≥55% <75%)	62 EN 14808 (A4 ≥55% <75%)	60 EN 14808 (A4 ≥55% <75%)	59 EN 14808 (A4 ≥55% <75%)	-
Vertical deformation, mm	3,5 EN 14809 (A4 ≥2,3 <5)	3,1 EN 14809 (A4 ≥2,3 <5)	3,6 EN 14809 (A4 ≥2,3 <5)	2,8 EN 14809 (A4 ≥2,3 <5)	3,8 EN 14809 (A4 ≥2,3 <5)	-
Friction, nominal unit	94 EN 13036-4 (80-110)	94 EN 13036-4 (80-110)	97 EN 13036-4 (80-110)	97 EN 13036-4 (80-110)	93 EN 13036-4 (80-110)	89 EN 13036-4 (80-110)
Ball bounce, %	91 EN 12235 (≥90%)	93 EN 12235 (≥90%)	91 EN 12235 (≥90%)	94 EN 12235 (≥90%)	99 EN 12235 (≥90%)	-
Rolling load, mm	0,21 EN 1569 (≤0,5mm, min. 1500N)	0,21 EN 1569 (≤0,5mm, min. 1500N)	0,15 EN 1569 (≤0,5mm, min. 1500N)	0,15 EN 1569 (≤0,5mm, min. 1500N)	0,28 EN 1569 (≤0,5mm, min. 1500N)	0,3 EN 1569 (≤0,5mm, min. 1500N)

| Acoustic Wall Panels
| Decorative Wall Panels



ACOUSTIC WALL PANELS

SHEEN :

Matte

CONSTRUCTION :


Veneered on MDF base T&G



18.1 | 30/2/Ø10 | 30/2/Ø8




18.2 | 29/3/Ø10 | 29/3/Ø8



18.2 | Ø8



18.1 | 14/2/Ø10 | 14/2/Ø8



18.2 | 13/3/Ø10 | 13/3/Ø8



18.2 | Ø8




COSWICK ACOUSTIC 30/2



COSWICK ACOUSTIC 14/2



COSWICK ACOUSTIC 16/16




DECORATIVE WALL PANELS

SHEEN :

☼ Matte

CONSTRUCTION :

Veneered on MDF base T&G



19.1 | VANILLA | OAK



19.2 | NATURAL | OAK



19.3 | CHESTNUT | OAK



19.4 | PASTEL | OAK



19.5 | CHAMBORD | OAK



19.6 | STONEY CREEK | OAK



19.7 | MOONLIGHT | ASH



19.8 | PEARL GREY | ASH



19.9 | TIGER EYE | ASH



19.10 | MOCCA | ASH



19.11 | NATURAL | A. WALNUT



19.12 | CLASSIC | A. WALNUT

- | Technologies
- | Finishing Systems
- | Color Palette
- | Grades
- | Technical Information
- | Floor Care Products
- | Moldings

Solid Hardwood Flooring



THICKNESS, mm	19,05
WIDTH, mm	127
LENGTH, mm	300...1845
MICROBEVEL, mm	0,5
AVERAGE LENGTH, m	0,74
FOOTAGE PER BOX, m²	1,78

3-layer T&G Engineered Flooring



THICKNESS, mm	12,7	19,05	19,05	21
TOP LAMELLA THICKNESS, mm	4	4	4	6
WIDTH, mm	107,95	127	190	190
LENGTH, mm	300...1845	600...2100	600...2100	600...2100
MICROBEVEL, mm	0,5	0,5	0,5	0,5
AVERAGE LENGTH, m	0,7	0,99	1,22	1,12
FOOTAGE PER BOX, m²	2,26	2,0	1,86	1,49

3-layer Single Strip Flooring CosLoc 5G



THICKNESS, mm	15	15
TOP LAMELLA THICKNESS, mm	4	4
WIDTH, mm	127	190
LENGTH, mm	600...2100	2100
MICROBEVEL, mm	0,5	0,5
AVERAGE LENGTH, m	0,99	2,1
FOOTAGE PER BOX, m²	2,0	2,4

Select & Better (S&B)



Select and Better is the highest grade of hardwood. It has uniform grain texture, mild color variations are produced by differences in natural heartwood and sapwood. The face may contain unlimited sound sapwood and occasional small burls. Light brown streaks may not extend over the entire length of a piece. Occasional non-contrasting restored knots (10mm or smaller) are admitted on planks stained in dark colors as long as they do not stand out against the floor surface.

1 Common (1C)



The face of a plank may contain unlimited sound sapwood. Color variation is prominent. Small burls, light brown streaks, restored knots up to 25 mm, properly filled open checks and worm holes are admitted. When stained in a dark color, surface appears uniform in shade and texture, making knots etc barely discernible. 1 Common is a tasteful floor where prominent variation is expected.

Tavern (Tav)



The face of a plank may contain prominent color variation, unlimited burls, brown streaks, tight knots and properly filled open knots, as well as worm holes. Imperfections in the face work (torn grain) and burns are admitted. Knots and other imperfections are intentionally highlighted in order to bring attention to the natural beauty and uniqueness of oak grain texture.

Coswick Lacquer



Coswick Silk Oil



Coswick Wax



CHARACTERISTICS	TYPE OF FLOORING FINISH					
	CosNanoTech+	CosNanoTech+ matte	Silk Oil	Silk Oil ultra matte	Hardwax Oil	Hardwax Oil Combi
CLASS OF MATERIALS	UV-cured polyurethane acrylates	UV-cured polyurethane acrylates	UV-cured modified oil-acrylates	UV-cured modified oil-acrylates	Organic oils and waxes, oxidative	UV-cured modified oil-acrylates, Organic oils and waxes, oxidative
SURFACE TYPE	Closed pores	Closed pores	Semi-closed pores, wire brushed	Semi-closed pores, wire brushed	Open pores, wire brushed	Semi-closed pores, wire brushed
GLOSS LEVEL	Semigloss or matte	Matte	Silk matte	Ultra matte	Matte	Silk matte
WEAR-RESISTANCE	Very high	Very high	High	High	Medium	High
RESISTANCE TO CHEMICALS	Very high	Very high	Very high	High	High	Very high
CARE AND MAINTENANCE	Regular care	Regular care	Regular care, restorative care, finish renewal	Regular care, restorative care, finish renewal	Regular care, restorative care, finish renewal	Regular care, restorative care, finish renewal
REPAIRABILITY	Low	Low	Medium	High	High	High

Coswick Lacquer

FINISH TECHNOLOGY

CosNanoTech+ finishing technology provides exceptional protection for your hardwood floors. CosNanoTech+ finish is composed of 12 coats of top quality sealers and compounds with aluminium dioxide for extra durability. Crosslinked nano particles are used to increase finish elasticity and maintain high wear resistance. Coswick CosNanoTech+ finish has 25-year warranty.

FEATURES

Clarity. Finished surface is clear and transparent. All you see is wood in its natural beauty.
Smoothness. Finished surface is very smooth to touch.
Durability. Innovative CosNanoTech+ finish is 10 times more wear-resistant than traditional urethane finishes. Coswick CosNanoTech+ prefinished floors are covered by 25-year finish wear warranty.

ECOLOGY

Environmentally friendly. CosNanoTech+ prefinished hardwood floors have zero VOC emissions.
Antibacterial Shield. CosNanoTech+ finish serves as a shield that prevents bacteria and mildew from multiplying on floor surface.

CARE AND MAINTENANCE

Easy care and maintenance. Sweeping or light vacuuming is all that is required for regular maintenance. Use Coswick Service Kit to clean and extend the life of your hardwood floor.

Coswick Silk Oil

FINISH TECHNOLOGY

Innovative Silk Oil protective finish consists of 4 coats of deep penetrating UV oil. Silk Oil finished flooring feels warm and smooth under your feet, it does not show dents and scratches as much as other finishes do. Silk Oil floor is very easy to maintain and restore.

FEATURES

Smoothness. Silk Oil finished floors feel warm and silky smooth under your feet. Walking barefoot on oiled floors feels incredible!
Universal use: Coswick Silk Oil floors are recommended for residential as well as commercial use. Water repellent properties of Silk Oil finish make oiled flooring the perfect choice for lakeside cottages, bars and restaurants.
Silk Oil is very forgiving. Because the finish is matte, small scratches and dents will not be visible on the floor surface, but will blend in with the natural wood grain texture.

ECOLOGY

Environmentally friendly. Silk Oil prefinished hardwood floors have zero VOC emissions.
Antibacterial Shield. Silk Oil finish serves as a shield that prevents bacteria and mildew from multiplying on floor surface.

CARE AND MAINTENANCE

Easy restoration and repair. If cared for correctly, oiled flooring will never need to be fully sanded and refinished. Depending on the amount of traffic, your Coswick Silk Oil floors will need to be re-oiled every few years. Coswick recovery oil can be applied directly over the old finish.
Easy care and maintenance. Sweeping or light vacuuming is all that is required for regular maintenance. Use Coswick Service Kit to clean and extend the life of your hardwood floor.

Coswick Wax

FINISH TECHNOLOGY

Hardwax Oil is an innovative hardwood flooring finish that consists of 3 layers of wax oil produced from natural components. Among the main ingredients of Hardwax Oil are organic oil, wax, and other natural components.
In Hardwax Oil finish, oil easily penetrates into wood pores, deeply saturating the wood, strengthening and protecting it from ill effects of moisture, dirt etc. Waxes create a hard protective film on the wood surface. Aside from moisture defense, they protect the floor surface from wearing.
Hardwood floors with Hardwax Oil finish easily absorb moisture and release it back into the air, thus helping to ensure a healthy atmosphere in the room.

FEATURES

Effect of "Open" Pores. Along with wire brushing technique, Hardwax Oil finish emphasizes natural texture and beauty of oak. Pores appear "open", visually preserving the depth of texture and relief.

ECOLOGY

Environmentally friendly. Silk Oil prefinished hardwood floors have zero VOC emissions.

CARE AND MAINTENANCE

Repairability. Hardwax Oil finish has a soft matte sheen, much like that of natural wood. Following finish renewal or re-waxing of the entire floor or worn-out areas, the sheen level temporarily increases, but returns to normal within a few days.



Select & Better (S&B)



Select and Better is the highest grade of hardwood. It has uniform grain texture, mild color variations are produced by differences in natural heartwood and sapwood. The face may contain unlimited sound sapwood and occasional small burls. Light brown streaks may not extend over the entire length of a piece. Occasional non-contrasting restored knots (10mm or smaller) are admitted on planks stained in dark colors as long as they do not stand out against the floor surface.

1 Common (1C)



The face of a plank may contain unlimited sound sapwood. Color variation is prominent. Small burls, light brown streaks, restored knots up to 25 mm, properly filled open checks and worm holes, slight imperfections in face work (torn grain) and burns are admitted. When stained in a dark color, surface appears uniform in shade and texture, making knots etc barely discernible. 1 Common is a tasteful floor where prominent variation is expected.

Tavern (Tav)



The face of a plank may contain prominent color variation, unlimited burls, brown streaks, tight knots and properly filled open knots, as well as worm holes. Imperfections in the face work (torn grain) and burns are admitted. Knots and other imperfections are intentionally highlighted in order to bring attention to the natural beauty and uniqueness of oak grain texture.

Technical Information

S&B Select & Better
1C 1 Common
Tav Tavern

Char Character
1N 1 Natur
Trad Traditional

HERRINGBONE COLLECTION

	COLOR	FINISH	GRADE	Solid plank flooring	3-layer T&G engineered flooring	
				19.85 x 82.55 x 412.73 mm (30") Footage per pack 1.3 m ²	12.7(4) x 187.95 x 447.7 mm (30") Footage per pack 2.1 m ²	19.8(4) x 127 x 433 mm (30") Footage per pack 1.29 m ²
OAK	VANILLA	Silk Oil ultra matte	S&B	1125-1508	1140-1508	1122-1508
	CHESTNUT	Lacquer	S&B	1125-1104	1140-1104	
	WHITE FROST	Lacquer	S&B	1125-1158	1140-1158	
	WHITE FROST	Silk Oil	S&B	1125-1258	1140-1258	
	PASTEL	Silk Oil	S&B/1C*	1125-1247	1140-1247	1122-3247*
	ALPINE	Silk Oil ultra matte	Tav			1122-4578
	CHAMBORD	Silk Oil	1C	1125-3215	1140-3215	
	GREY CASHMERE	Silk Oil	Tav	1125-4251	1140-4251	
	ROCKY REEF	Silk Oil	Tav	1125-4230	1140-4230	
	MILK CHOCOLATE	Silk Oil ultra matte	1C			1122-3217
ASH	CHARCOAL	Silk Oil ultra matte	Tav	1125-4507	1140-4507	
	PEARL GREY	Lacquer	S&B		1240-1145	
	MOONLIGHT	Lacquer	S&B		1240-1136	
	FRENCH RIVERA	Silk Oil	1C		1240-3257	
AMERICAN WALNUT	NORMAN BREEZE	Silk Oil	Tav		1240-4232	
	NATURAL	Lacquer	S&B		1340-1101	1322-1101
	NATURAL	Silk Oil	S&B			1322-1201
	NATURAL	Lacquer	Trad		1322-3101	1322-3101
	NATURAL	Silk Oil	Trad			1322-3201

CHEVRON COLLECTION

	COLOR	FINISH	GRADE	Solid plank flooring	3-layer T&G engineered flooring				
				19.85 x 82.55 x 328 mm (30") Footage per pack 1.78 m ²	12.7(4) x 187.95 x 518 mm (30") Footage per pack 1.72 m ²	19.8(4) x 127 x 590 mm (30") Footage per pack 1.816 m ²	19.8(4) x 127 x 548 mm (30") Footage per pack 1.114 m ²	19.8(4) x 118 x 418.78 mm (30") Footage per pack 1.467 m ²	19.8(4) x 178 x 438.17 mm (30") Footage per pack 1.5 m ²
OAK	NATURAL	Lacquer	S&B	1128-1101	1152-1101				
	PASTEL	Silk Oil	S&B/1C*	1128-1247	1152-1247	1134-3247*	1123-3247*	1183-3247	1185-3247
	VANILLA	Silk Oil ultra matte	S&B			1134-1508	1123-1508		
	ALPINE	Silk Oil ultra matte	Tav			1134-4578	1123-4578		
	CHAMBORD	Silk Oil	1C	1128-3215	1152-3215			1183-3215	1185-3215
	ROCKY REEF	Silk Oil	Tav	1128-4230	1152-4230			1183-4230	1185-4230
	MILK CHOCOLATE	Silk Oil	1C	1128-3217	1152-3217	1134-3217	1123-3217	1183-3217	1185-3217
	CHARCOAL	Silk Oil ultra matte	Tav	1128-4507	1152-4507			1183-4507	1185-4507
	PEARL GREY	Lacquer	S&B		1252-1145				
	MOONLIGHT	Lacquer	S&B		1252-1136				
ASH	FRENCH RIVERA	Silk Oil	1C		1252-3257				
	NORMAN BREEZE	Silk Oil	Tav		1252-4232				
AMERICAN WALNUT	NATURAL	Lacquer	S&B		1352-1101	1334-1101	1323-1101	1383-1101	1385-1101
	NATURAL	Silk Oil	S&B			1334-1201	1323-1201		
	NATURAL	Lacquer	Trad		1352-3101	1334-3101	1323-3101	1383-3101	1385-3101
	NATURAL	Silk Oil	Trad			1334-3201	1323-3201		

Technical Information

S&B Select & Better
1C 1 Common
Tav Tavern

Char Character
1N 1 Natur
Trad Traditional



CLASSIC COLLECTION

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring			3-layer single strip flooring CosLoc SG	
				12.7/4 × 187.95 × 380...1845 mm Footage per pack 2.26 m²	19.05/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	19.05/4 × 190 × 680...2100 mm Footage per pack 3.86 m²	15/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	15/4 × 190 × 680...2100 mm Footage per pack 3.2 m²
OAK	NATURAL	Lacquer	S&B	1137-1101	1154-1101		1153-1101	
	ROSE	Lacquer	S&B	1137-1102	1154-1102		1153-1102	
	CHESTNUT	Lacquer	S&B	1137-1104	1154-1104		1153-1104	
	WALNUT	Lacquer	S&B	1137-1106	1154-1106		1153-1106	
	CHARCOAL	Lacquer	S&B	1137-1107	1154-1107		1153-1107	
ASH	VANILLA	Lacquer	S&B	1137-1108	1154-1108		1153-1108	
	MOONLIGHT	Lacquer	S&B	1237-1136	1254-1136		1253-1136	
	MOONLIGHT	Silk Oil	S&B	1237-1236	1254-1236		1253-1236	
	AVAILANCHE	Lacquer	S&B	1237-1131	1254-1131		1253-1131	
	CARAMEL	Silk Oil	S&B	1237-1260	1254-1260		1253-1260	
AMERICAN WALNUT	NATURAL	Lacquer	S&B	1337-1101	1354-1101	1363-1101	1353-1101	1361-1101
	NATURAL	Silk Oil	S&B	1337-1201	1354-1201	1363-1201	1353-1201	1361-1201
	NATURAL	Lacquer	Trad	1337-3101	1354-3101	1363-3101	1353-3101	1361-3101
	NATURAL	Silk Oil	Trad	1337-3201	1354-3201	1363-3201	1353-3201	1361-3201
	CLASSIC	Lacquer	1N	1337-3161	1354-3161	1363-3161	1353-3161	1361-3161
	CLASSIC	Silk Oil	1N	1337-3261	1354-3261	1363-3261	1353-3261	1361-3261

BRUSHED & OILED COLLECTION

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring		3-layer single strip flooring CosLoc SG	
				12.7/4 × 187.95 × 380...1845 mm Footage per pack 2.26 m²	19.05/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	15/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	15/4 × 190 × 2100 mm Footage per pack 2.4 m²
OAK	NATURAL	Silk Oil	S&B	1137-1201	1154-1201	1153-1201	
	CHESTNUT	Silk Oil	S&B	1137-1204	1154-1204	1153-1204	
	WALNUT	Silk Oil	S&B	1137-1206	1154-1206	1153-1206	
	VANILLA	Silk Oil ultra matte	S&B	1137-1508	1154-1508	1153-1508	
	WHITE FROST	Silk Oil	S&B	1137-1258	1154-1258	1153-1258	
ASH	CHABAUD	Silk Oil	S&B	1137-1259	1154-1259	1153-1259	
	ATLANTIC	Silk Oil ultra matte	1C	1237-3539	1254-3539	1253-3539	
	CANADIAN CEDAR	Silk Oil ultra matte	1C	1237-3562	1254-3562	1253-3562	
	FRENCH RIVIERA	Silk Oil	1C	1237-3257	1254-3257	1253-3257	
	CLOUDY	Silk Oil	1C	1237-3235	1254-3235	1253-3235	
	MOCCA	Silk Oil	1C	1237-3243	1254-3243	1253-3243	
	NORMAN BREEZE	Silk Oil	Tav	1237-4232	1254-4232	1253-4232	

COUNTRY COLLECTION

	COLOR	FINISH	GRADE	Solid plank flooring	3-layer T&G engineered flooring			3-layer single strip flooring CosLoc SG	
				19.05 × 127 × 380...1845 mm Footage per pack 1.78 m²	12.7/4 × 187.95 × 380...1845 mm Footage per pack 2.26 m²	19.05/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	19.05/4 × 190 × 680...2100 mm Footage per pack 3.86 m²	15/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	15/4 × 190 × 2100 mm Footage per pack 2.4 m²
OAK	NATURAL	Silk Oil	1C/1N*	1103-3201	1137-3201	1154-3201	1163-3201*	1153-3201	1133-3201*
	CHESTNUT	Silk Oil	1C/1N*	1103-3204	1137-3204	1154-3204	1163-3204*	1153-3204	1133-3204*
	WALNUT	Silk Oil	1C/1N*	1103-3206	1137-3206	1154-3206	1163-3206*	1153-3206	1133-3206*
	MILK CHOCOLATE	Silk Oil	1C/1N*	1103-3217	1137-3217	1154-3217	1163-3217*	1153-3217	1133-3217*
	CHAMBORD	Silk Oil	1C/1N*	1103-3215	1137-3215	1154-3215	1163-3215*	1153-3215	1133-3215*
	ALPINE	Silk Oil ultra matte	Tav/Char*	1103-4578	1137-4578	1154-4578	1163-7578*	1153-4578	1133-7578*
	SNOWDROP	Silk Oil ultra matte	Tav/Char*	1103-4593	1137-4593	1154-4593	1163-7593*	1153-4593	1133-7593*
	FRENCH ESTATE	Silk Oil	Tav/Char*	1103-4212	1137-4212	1154-4212	1163-7212*	1153-4212	1133-7212*
	DARK CHOCOLATE	Silk Oil	Tav/Char*	1103-4216	1137-4216	1154-4216	1163-7216*	1153-4216	1133-7216*
	ROCKY REEF	Silk Oil	Tav/Char*	1103-4230	1137-4230	1154-4230	1163-7230*	1153-4230	1133-7230*
	AMBER	Silk Oil	Tav/Char*	1103-4213	1137-4213	1154-4213	1163-7213*	1153-4213	1133-7213*
	GREY ASH	Silk Oil ultra matte	1N				1163-3503		1133-3503

SIGNATURE COLLECTION

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring		3-layer single strip flooring CosLoc SG	
				12.7/4 × 187.95 × 380...1845 mm Footage per pack 2.26 m²	19.05/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	15/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	15/4 × 190 × 2100 mm Footage per pack 2.4 m²
OAK	SANDY	Lacquer matte	S&B		1154-1323		1153-1323
	STONE CREEK	Lacquer matte	S&B		1154-1325		1153-1325
	CHAMBORD	Lacquer matte	S&B		1154-1315		1153-1315
	ALBATROSS	Lacquer matte	S&B		1154-1322		1153-1322
	NORD SEA	Lacquer matte	S&B		1154-1324		1153-1324
ASH	CHARCOAL	Lacquer matte	S&B		1154-1307		1153-1307
	MOONLIGHT	Lacquer matte	S&B	1237-1336	1254-1336		1253-1336
	SILVER	Lacquer matte	S&B	1237-1337	1254-1337		1253-1337
	PEARL GREY	Lacquer matte	S&B	1237-1345	1254-1345		1253-1345
	TIGER EYE	Lacquer matte	S&B	1237-1344	1254-1344		1253-1344
	COMO	Lacquer matte	S&B	1237-1342	1254-1342		1253-1342
	CAPPUCINO	Lacquer matte	S&B	1237-1338	1254-1338		1253-1338

HERITAGE COLLECTION

	COLOR	FINISH	GRADE	Solid plank flooring	3-layer T&G engineered flooring			3-layer single strip flooring CosLoc SG	
				19.05 × 127 × 380...1845 mm Footage per pack 1.78 m²	12.7/4 × 187.95 × 380...1845 mm Footage per pack 2.26 m²	19.05/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	19.05/4 × 190 × 680...2100 mm Footage per pack 3.86 m²	15/4 × 127 × 680...2100 mm Footage per pack 2.8 m²	15/4 × 190 × 2100 mm Footage per pack 2.4 m²
OAK	PASTEL	Silk Oil	1C / 1N*	1103-3247		1154-3247	1163-3247*	1153-3247	1133-3247*
	WHITE MARBLE	Silk Oil	Tav/Char*	1103-4255	1137-4255	1154-4255	1163-7255*	1153-4255	1133-7255*
	ANTIQUE PATINA	Silk Oil	Tav/Char*	1103-4250	1137-4250	1154-4250	1163-7250*	1153-4250	1133-7250*
	GREY CASHMERE	Silk Oil	Tav/Char*	1103-4251	1137-4251	1154-4251	1163-7251*	1153-4251	1133-7251*
	FRENCH GobelIN	Silk Oil	Tav/Char*	1103-4249	1137-4249	1154-4249	1163-7249*	1153-4249	1133-7249*
	TERRA	Silk Oil	Tav/Char*	1103-4248	1137-4248	1154-4248	1163-7248*	1153-4248	1133-7248*
	INDIGO	Silk Oil ultra matte	Tav/Char*	1103-4556	1137-4556	1154-4556	1163-7556*	1153-4556	1133-7556*
	GRAPE SEED	Silk Oil ultra matte	Tav/Char*	1103-4540	1137-4540	1154-4540	1163-7540*	1153-4540	1133-7540*
	VINTAGE BROWN	Silk Oil ultra matte	Tav/Char*	1103-4554	1137-4554	1154-4554	1163-7554*	1153-4554	1133-7554*
	NATURAL	Hardwax Oil	S&B					1653-1901	
THERMO ASH	EVEREST	Hardwax Oil	S&B					1653-1965	
	BROWN MALT	Hardwax Oil	1C					1653-3966	

ARTS & CRAFTS COLLECTION

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring		3-layer single strip flooring CosLoc SG	
				19.05/4 × 127 × 680...2100 mm Footage per pack 3.86 m²		15/4 × 190 × 2100 mm Footage per pack 2.4 m²	
OAK	VIENNA	Hardwax Oil / Silk Oil ultra matte	Char	1163-7919	1163-7519	1133-7919	1133-7519
	GENEVA	Hardwax Oil / Silk Oil ultra matte	Char	1163-7920	1163-7520	1133-7920	1133-7520
	OLD VENICE	Hardwax Oil / Silk Oil ultra matte	Char	1163-7921	1163-7521	1133-7921	1133-7521
	MARSEILLE	Hardwax Oil / Silk Oil ultra matte	Char	1163-7928	1163-7528	1133-7928	1133-7528
	LONDON	Hardwax Oil / Silk Oil ultra matte	Char	1163-7926	1163-7526	1133-7926	1133-7526
	BATISTE	Hardwax Oil / Silk Oil ultra matte	Char	1163-7918	1163-7518	1133-7918	1133-7518
	ALBION	Hardwax Oil / Silk Oil ultra matte	Char	1163-7971	1163-7571	1133-7971	1133-7571
	STONEHENGE	Hardwax Oil / Silk Oil ultra matte	Char	1163-7972	1163-7572	1133-7972	1133-7572
	HEATHER	Hardwax Oil / Silk Oil ultra matte	Char	1163-7973	1163-7573	1133-7973	1133-7573
	MISTY FJORDS	Hardwax Oil / Silk Oil ultra matte	Char	1163-7963	1163-7563	1133-7963	1133-7563
	BARCELONA	Hardwax Oil / Silk Oil ultra matte	Char	1163-7927	1163-7527	1133-7927	1133-7527
	SCANDINAVIAN	Hardwax Oil / Silk Oil ultra matte	Char	1163-7975	1163-7575	1133-7975	1133-7575

Technical Information

S&B Select & Better
1C 1 Common
Tav Tavern

Char Character
1N 1 Natur
Trad Traditional

HERRINGBONE COLLECTION

	COLOR	FINISH	GRADE	Solid plank flooring	3-layer T&G engineered flooring		
				19.05 x 81.35 x 412.75 mm (90") Footage per pack 1.5 m ²	12.70 x 107.95 x 647.5 mm (90") Footage per pack 2.1 m ²	19.05/4 x 127 x 635 mm (90") Footage per pack 1.29 m ²	
OAK	VANILLA	Silk Oil ultra matte	S&B	1125-1508	1140-1508	1122-1508	
	CHESTNUT	Lacquer	S&B	1125-1104	1140-1104		
	WHITE FROST	Lacquer	S&B	1125-1158	1140-1158		
	WHITE FROST	Silk Oil	S&B	1125-1258	1140-1258		
	PASTEL	Silk Oil	S&B/1C*	1125-1247	1140-1247	1122-3247*	
	ALPINE	Silk Oil ultra matte	Tav			1122-4578	
	CHAMBORD	Silk Oil	1C	1125-3215	1140-3215		
	GREY CASHMERE	Silk Oil	Tav	1125-4251	1140-4251		
	ROCKY REEF	Silk Oil	Tav	1125-4230	1140-4230		
	MILK CHOCOLATE	Silk Oil ultra matte	1C			1122-3217	
ASH	CHARCOAL	Silk Oil ultra matte	Tav	1125-4507	1140-4507		
	PEARL GREY	Lacquer	S&B	1240-1145	1240-1145		
	MOONLIGHT	Lacquer	S&B	1240-1136	1240-1136		
	FRENCH RIVIERA	Silk Oil	1C	1240-3257	1240-3257		
	NORMAN BREEZE	Silk Oil	Tav	1240-4232	1240-4232		
	NATURAL	Lacquer	S&B		1340-1101	1322-1101	
	NATURAL	Silk Oil	S&B			1322-1201	
	NATURAL	Lacquer	Trad		1322-3101	1322-3101	
	NATURAL	Silk Oil	Trad			1322-3201	
	NATURAL	Silk Oil	Trad				

CHEVRON COLLECTION

	COLOR	FINISH	GRADE	Solid plank flooring	3-layer T&G engineered flooring			
				19.05 x 81.35 x 328 mm (40") Footage per pack 1.16 m ²	12.70 x 187.95 x 538 mm (40") Footage per pack 1.72 m ²	19.05/4 x 127 x 580 mm (45") Footage per pack 1.81 m ²	19.05/4 x 127 x 548 mm (48") Footage per pack 1.114 m ²	19.05/4 x 198 x 458.78 mm (48") Footage per pack 1.867 m ²
OAK	NATURAL	Lacquer	S&B	1128-1101	1152-1101			
	PASTEL	Silk Oil	S&B/1C*	1128-1247	1152-1247	1134-3247*	1123-3247*	1183-3247
	VANILLA	Silk Oil ultra matte	S&B			1134-1508	1123-1508	
	ALPINE	Silk Oil ultra matte	Tav			1134-4578	1123-4578	
	CHAMBORD	Silk Oil	1C	1128-3215	1152-3215			1183-3215
	ROCKY REEF	Silk Oil	Tav	1128-4230	1152-4230			1183-4230
	MILK CHOCOLATE	Silk Oil	1C	1128-3217	1152-3217	1134-3217	1123-3217	1183-3217
	CHARCOAL	Silk Oil ultra matte	Tav	1128-4507	1152-4507			1183-4507
	PEARL GREY	Lacquer	S&B		1252-1145			
	MOONLIGHT	Lacquer	S&B		1252-1136			
ASH	FRENCH RIVIERA	Silk Oil	1C		1252-3257			
	NORMAN BREEZE	Silk Oil	Tav		1252-4232			
	NATURAL	Lacquer	S&B		1352-1101	1334-1101	1323-1101	1383-1101
	NATURAL	Silk Oil	S&B			1334-1201	1323-1201	
	NATURAL	Lacquer	Trad		1352-3101	1334-3101	1323-3101	1383-3101
	NATURAL	Silk Oil	Trad			1334-3201	1323-3201	
	NATURAL	Silk Oil	Trad					
	NATURAL	Silk Oil	Trad					
	NATURAL	Silk Oil	Trad					
	NATURAL	Silk Oil	Trad					

CHEVRON CosLoc COLLECTION

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring	
				15/4 x 127 x 480 mm (40") Footage per pack 1.016 m ²	15/4 x 127 x 548 mm (40") Footage per pack 1.392 m ²
OAK	PASTEL	Silk Oil	1C	1127-3247	1126-3247
	VANILLA	Silk Oil ultra matte	S&B	1127-1508	1126-1508
	ALPINE	Silk Oil ultra matte	Tav	1127-4578	1126-4578
	MILK CHOCOLATE	Silk Oil	1C	1127-3217	1126-3217
AMERICAN WALNUT	NATURAL	Lacquer	S&B	1327-1101	1326-1101
	NATURAL	Silk Oil	S&B	1327-1201	1326-1201
	NATURAL	Lacquer	Trad	1327-3101	1326-3101
	NATURAL	Silk Oil	Trad	1327-3201	1326-3201

MOSAIC FLOORING

	COLOR	FINISH	GRADE	2-layer T&G engineered flooring			
				Pattern: Versailles 19.05/8 x 635 x 635 mm Footage per pack 1.81 m ²	Pattern: Triaxos 19.05/8 x 635 x 635 mm Footage per pack 1.81 m ²	Pattern: Longaxis 19.05/8 x 635 x 635 mm Footage per pack 1.81 m ²	Pattern: Chevny 19.05/8 x 635 x 635 mm Footage per pack 1.81 m ²
OAK	NATURAL	Hardwax Oil combi	S&B	1114-1701	1115-1701	1116-1701	1117-1701
	OLD VENICE	Hardwax Oil combi	S&B	1114-1721	1115-1721	1116-1721	1117-1721
	MARSEILLE	Hardwax Oil combi	S&B	1114-1728	1115-1728		
	NATURAL	Hardwax Oil combi	S&B	1314-1701	1315-1701	1316-1701	1317-1701
A. WALNUT	NATURAL	Resilient Lacquer	Trad	1314-3601	1315-3601	1316-3601	1317-3601
	CLASSIC	Hardwax Oil combi	1N	1314-3761	1315-3761	1316-3761	1317-3761
	NATURAL	Hardwax Oil combi	S&B			1816-1701	1817-1701
	NATURAL	Hardwax Oil combi	S&B				

MOSAIC-MINI FLOORING

	COLOR	FINISH	GRADE	2-layer T&G engineered flooring			
				Pattern: Bliss 14/4 x 431 x 431 mm Footage per pack 1.488 m ²	Pattern: Chateau 14/4 x 431 x 431 mm Footage per pack 1.488 m ²	Pattern: Provence 14/4 x 431 x 431 mm Footage per pack 1.488 m ²	Pattern: Tower 14/4 x 431 x 431 mm Footage per pack 1.488 m ²
OAK	NATURAL	Resilient Lacquer	S&B	1196-1601	1195-1601	1197-1601	1199-1601
	NATURAL	Resilient Lacquer	S&B	1296-1601	1295-1601	1297-1601	1299-1601
	NATURAL	Resilient Lacquer	S&B	1396-1601	1395-1601	1397-1601	1399-1601

PARQUETRY

	COLOR	FINISH	GRADE	3-layer T&G engineered flooring, TILE	3-layer G&G engineered flooring, PYRAMID
				19.05/4x190x20 mm Footage per pack 1.257 m ²	19.05/4x190x48 mm Footage per pack 1.257 m ²
OAK	WHITE FROST	Silk Oil	S&B	1193-1258	1194-1258
	PASTEL	Silk Oil	S&B	1193-1247	1194-1247
	CHAMBORD	Silk Oil	Tav	1193-4215	1194-4215
	MILK CHOCOLATE	Silk Oil	Tav	1193-4217	1194-4217
	GREY CASHMERE	Silk Oil	Tav	1193-4251	1194-4251
	NATURAL	Silk Oil	S&B	1193-1201	1194-1201
A. WALNUT	NATURAL	Silk Oil	Trad	1193-3201	1194-3201

Technical Information

Moldings

DECORATIVE WALL PANELS

	COLOR	SHEEN	Venereed on MDF base T&G	
			16 x 600 x 600 mm	16 x 600 x 1200 mm
OAK	NATURAL	Matte	5015-0512-0201	5015-0509-0201
	CHESTNUT	Matte	5015-0512-0204	5015-0509-0204
	STONE CREEK	Matte	5015-0512-0225	5015-0509-0225
	VANILLA	Matte	5015-0512-0208	5015-0509-0208
	CHAMBORD	Matte	5015-0512-0215	5015-0509-0215
	PASTEL	Matte	5015-0512-0247	5015-0509-0247
ASH	MOONLIGHT	Matte	5025-0512-0236	5025-0509-0236
	PEARL GREY	Matte	5025-0512-0245	5025-0509-0245
	TIGER EYE	Matte	5025-0512-0244	5025-0509-0244
	MOCCA	Matte	5025-0512-0243	5025-0509-0243
A. WALNUT	NATURAL	Matte	5035-0512-0201	5035-0509-0201
	CLASSIC	Matte	5035-0512-0261	5035-0509-0261

ACOUSTIC WALL PANELS

	COLOR	SHEEN	DIMENSIONS, mm	Venereed on MDF base			
				30/2/Ø10	29/3/Ø10	14/2/Ø10	13/3/Ø10
OAK	NATURAL	Matte	16x192x2400	5014-0304-0202-01	5014-0304-0402-01	5014-0304-0602-01	5014-0304-0802-01
			16x576x2400	5014-0404-0202-01	5014-0404-0402-01	5014-0404-0602-01	5014-0404-0802-01
			16x192x2400	5014-0304-0202-04	5014-0304-0402-04	5014-0304-0602-04	5014-0304-0802-04
	CHESTNUT	Matte	16x192x2400	5014-0404-0202-04	5014-0404-0402-04	5014-0404-0602-04	5014-0404-0802-04
			16x576x2400	5014-0404-0202-04	5014-0404-0402-04	5014-0404-0602-04	5014-0404-0802-04
			16x192x2400	5014-0304-0202-25	5014-0304-0402-25	5014-0304-0602-25	5014-0304-0802-25
	STONE CREEK	Matte	16x192x2400	5014-0304-0202-25	5014-0304-0402-25	5014-0304-0602-25	5014-0304-0802-25
			16x576x2400	5014-0404-0202-25	5014-0404-0402-25	5014-0404-0602-25	5014-0404-0802-25
			16x192x2400	5014-0304-0202-08	5014-0304-0402-08	5014-0304-0602-08	5014-0304-0802-08
	VANILLA	Matte	16x192x2400	5014-0304-0202-08	5014-0304-0402-08	5014-0304-0602-08	5014-0304-0802-08
			16x576x2400	5014-0404-0202-08	5014-0404-0402-08	5014-0404-0602-08	5014-0404-0802-08
			16x192x2400	5014-0304-0202-15	5014-0304-0402-15	5014-0304-0602-15	5014-0304-0802-15
A. WALNUT	CHAMBORD	Matte	16x192x2400	5014-0304-0202-15	5014-0304-0402-15	5014-0304-0602-15	5014-0304-0802-15
			16x576x2400	5014-0404-0202-15	5014-0404-0402-15	5014-0404-0602-15	5014-0404-0802-15
			16x192x2400	5014-0304-0202-47	5014-0304-0402-47	5014-0304-0602-47	5014-0304-0802-47
	PASTEL	Matte	16x192x2400	5014-0404-0202-47	5014-0404-0402-47	5014-0404-0602-47	5014-0404-0802-47
			16x576x2400	5014-0404-0202-47	5014-0404-0402-47	5014-0404-0602-47	5014-0404-0802-47
			16x192x2400	5034-0304-0202-01	5034-0304-0402-01	5034-0304-0602-01	5034-0304-0802-01
	NATURAL	Matte	16x192x2400	5034-0304-0202-01	5034-0304-0402-01	5034-0304-0602-01	5034-0304-0802-01
			16x576x2400	5034-0404-0202-01	5034-0404-0402-01	5034-0404-0602-01	5034-0404-0802-01
			16x192x2400	5034-0304-0202-61	5034-0304-0402-61	5034-0304-0602-61	5034-0304-0802-61
	CLASSIC	Matte	16x192x2400	5034-0304-0202-61	5034-0304-0402-61	5034-0304-0602-61	5034-0304-0802-61
			16x576x2400	5034-0404-0202-61	5034-0404-0402-61	5034-0404-0602-61	5034-0404-0802-61
			16x192x2400	5034-0404-0202-61	5034-0404-0402-61	5034-0404-0602-61	5034-0404-0802-61

AVAILABLE IN ALL COSWICK COLORS AND FINISHES

			SOLID PLANK FLOORING T&G 3-LAYER ENGINEERED T&G FLOORING	3-LAYER SINGLE STRIP COSLOC SG	3-LAYER ENGINEERED T&G FLOORING
STAIR NOSING	OAK	Solid			
	ASH	Solid			
	AMERICAN WALNUT	Solid			
REDUCER	OAK	Solid			
	ASH	Solid			
	AMERICAN WALNUT	Solid			
CARPET REDUCER	OAK	Solid			
	ASH	Solid			
	AMERICAN WALNUT	Solid			
BASEBOARD #7	OAK	Veneer			
	ASH	Veneer			
	AMERICAN WALNUT	Veneer			
BASEBOARD #8	OAK	Veneer			
	ASH	Veneer			
	AMERICAN WALNUT	Veneer			
BASEBOARD #11	BROH	Solid			



COSWICK COATINGS AND ADHESIVES

COSWICK – OVER 25 YEARS OF DEDICATION TO HARDWOOD FLOORING

Since 1995 Coswick has been creating premium quality hardwood floors of superb and long-lasting performance. The company gained wide manufacturing experience by operating a fully integrated production cycle from logs to readymade prefinished hardwood flooring and became recognized all over the world. We are glad to share our experience with experts and hardwood floors owners as a system of tested products for every stage of hardwood flooring use.

Coswick well-balanced formula and unique quality control system ensure highest quality of primers, adhesives, lacquers, cleaners, renovation and care products suitable for all types of hardwood floors and protective-decorative finishes.

Coswick is dedicated to production of well balanced, high performance, eco-friendly and easy to use products. We are working to make your hardwood flooring everlasting and bringing you joy and happiness.

Floor Care Products



COSWICK SERVICE KIT

is designed to clean solid and engineered wood floors that have a lacquer or oil finish. The kit includes a microfiber mop cloth and ready-to-use Coswick Hardwood Cleaner.

Microfiber mop cloth:

- Machine washable;
- Very effective against dust;
- Highly absorbent and long lasting.

Ready-to-use Hardwood Cleaner:

- Perfect for regular cleaning of finished wooden floors;
- Excellent grease and dirt removing properties;
- Non-abrasive, leaves no residue;
- Delicate scent.

CLEANER FOR LACQUERED HARDWOOD FLOORS

Cleaner is meant for regular care and maintenance of lacquered wood flooring. Neutral pH ensures minimal risk of color changes, creates a protective film, extends protective properties of flooring finish. 0.5 litres per bottle.

CLEANER CONCENTRATE FOR LACQUERED HARDWOOD FLOORS

Cleaner Concentrate is meant for regular care and maintenance of lacquered or UV-oiled wood flooring. Neutral pH ensures minimal risk of color changes, creates a protective film, extends protective properties of flooring finish. Dilute agent at ratio of 1:50 (10 ml of concentrate per 0.5 l of water).

CLEANER FOR OILED AND HARDWAX OILED HARDWOOD FLOORS

Cleaner is meant for regular care and maintenance of oiled and Hardwax oiled wood flooring. Neutral pH ensures minimal risk of color changes, creates a protective film, extends protective properties of flooring finish. 0.5 litres per bottle.

CLEANER CONCENTRATE FOR OILED AND HARDWAX OILED HARDWOOD FLOORS

Cleaner Concentrate is meant for regular care and maintenance of oiled and Hardwax oiled wood flooring. Neutral pH ensures minimal risk of color changes, creates a protective film, extends protective properties of flooring finish. Dilute agent at ratio of 1:50 (10 ml of concentrate per 0.5 l of water).

RENEWER OIL FOR OILED AND HARDWAX-OILED HARDWOOD FLOORS

Product is meant for surface renewal of hardwood floors with UV oil and Hardwax-oil finishes. Product creates a firm, elastic protective surface film. 0.75 litres per bottle.

PROTECTIVE WAX FOR HARDWOOD FLOORS

Product is intended for recovering of hardwood floors with natural oil, Hardwax or Silk Oil finishes. Product creates a thin, elastic, protective and water-repellent surface film. 0.75 litre per bottle.

TINTED OIL FOR RESTORATION OF OILED AND HARDWAX OILED HARDWOOD FLOORS

Product is meant for recovery and repair of hardwood floors with natural oil and Hardwax finishes. Product creates an elastic protective film on floor surface. 0.75 litre per bottle.

COSWICK WOOD STAIN

Coswick stains are designed for giving wood surfaces a desired color. 0.75 litre per bottle.

HEAVY DUTY CLEANER FOR HARDWOOD FLOORS

Coswick Heavy Duty Cleaner is meant for lacquered and oiled prefinished wood flooring. Recommended for removal of glue spots just after installation and for removal of any deep stain spots and marks during regular floor maintenance. 1.0 litre per bottle.

REPAIR KIT PROFI

COSWICK WAX FILLER

Ready-to-use wax for quick repairs of small damages in floors with all types of finish. Wax filler is available in all Coswick colors.

